PRINTED: 09/28/2015 FORM APPROVED

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED
					С
		000104	B. WING		09/23/2015
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE					
SANCTUARY AT ST PAULS 3602 S IRONWOOD DR SOUTH BEND, IN 46614					
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE COMPLETE
R 000	00 INITIAL COMMENTS		R 000		
	This visit was for the Investigation of Complaint #IN00182108.				
	Complaint #IN00182108 - Substantiated. No deficiencies related to the allegations are cited.  September 23, 2015				
	Facility number: 0001 Provider number: 155 AIM number: 100266	5197			
	Census payor type: Medicaid: 18 Other: 93 Total: 111				
	Sample: 4  Sanctuary at St. Pauls was found to be in compliance with 410 IAC 16.2-5 in regards to the Investigation of Complaint IN00182108.				
	QR was completed by 99993 on 09/25/15.				

Indiana State Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE